

<b>Notice of Allowability</b>	Application No.	Applicant(s)
	10/622,773	NEJIKOVSKY ET AL.
	Examiner Kenneth J. Whittington	Art Unit 2862

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to the Application filing of July 21, 2003 and the Election of July 8, 2005.
2.  The allowed claim(s) is/are 1-57.
3.  The drawings filed on 21 July 2005 are accepted by the Examiner.
4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a)  All
  - b)  Some\*
  - c)  None
 of the:
  1.  Certified copies of the priority documents have been received.
  2.  Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).


\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6.  CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a)  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1)  hereto or 2)  to Paper No./Mail Date \_\_\_\_\_.
  - (b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of
 Paper No./Mail Date \_\_\_\_\_.
7.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1.  Notice of References Cited (PTO-892)
2.  Notice of Draftsperson's Patent Drawing Review (PTO-948)
3.  Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date 3/17/04
4.  Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5.  Notice of Informal Patent Application (PTO-152)
6.  Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_.
7.  Examiner's Amendment/Comment
8.  Examiner's Statement of Reasons for Allowance
9.  Other \_\_\_\_\_.



Bot Ledyrh  
Primary Examiner

**DETAILED ACTION**

***Election/Restrictions***

Applicants' election and arguments in response to the Restriction Requirement mailed June 10, 2005 have been considered. In view of the arguments therein and upon review of 6 the claims, the requirement is withdrawn.

***Drawings***

It is noted that the drawings on record are informal in nature. Applicants are advised to submit formal drawings prior to or concurrently with the payment of any issue fee.

12

***Allowable Subject Matter***

Claims 1-57 are allowed.

***Reasons for Allowance***

The following is an examiner's statement of reasons for 18 allowance:

Regarding claims 1, 28 and 42, while the prior art discloses various devices for measuring the gage of railroad tracks, the prior art does not disclose a gage sensing system or method to determine the edge surface of a track comprising a first array of electromagnetic field generating coils across a

Art Unit: 2862

first rail and an array of first electromagnetic sensors positioned between the first rail and the first of array of electromagnetic field generating coils, in combination with the other features of the claims.

Regarding the remaining claims, they are allowed for the 6 same reasons therefor based on their dependency to the above claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on 12 Statement of Reasons for Allowance."

#### ***Prior Art***

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The cited references disclose varying designs for rail gage measuring 18 systems and eddy current sensor systems.

#### ***Conclusion***


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kenneth J. Whittington whose telephone number is (571) 272-2264. The

Art Unit: 2862

examiner can normally be reached on Monday-Friday, 7:30am-4:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward Lefkowitz can be reached on (571) 272-2180. The fax phone number for the 6 organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status 12 information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Kenneth J. Whittington  
Examiner  
Art Unit 2862